

## IN THE CLAIMS

1. (currently amended) ~~A method of calibrating positions between a location sensing device and an electronic device in communication with a display device, comprising the steps of:~~ The improved calibration process of Claim 33, the step of initiating the calibration process at a location distant the electronic device comprising initiating the calibration process at the location sensing device only upon detecting a touch on the surface of the location sensing device;

~~initiating the calibration of positions between the location sensing device and the electronic device upon the detection of the touch on the surface of the location sensing device; and~~

~~calculating a relationship between the location of the touch on the surface of the location sensing device and a position on the display device.~~

2. (currently amended) The ~~method~~ improved calibration process of claim 1, wherein the step of detecting a touch comprises detecting actuation of a physical button located on the surface of the location sensing device.

3. (currently amended) The ~~method~~ improved calibration process of claim 1, wherein the step of detecting a touch comprises detecting actuation of a physical button located on an exterior frame of the location sensing device.

4. (currently amended) The ~~method~~ improved calibration process of claim 1, wherein the step of detecting a touch comprises detecting actuation of a projected button on the surface of the location sensing device.

Claims 5-20 canceled.

21. (currently amended) The improved ~~method of~~ calibration process of Claim ~~20~~ 38, wherein the actuation of the location sensing electronic device is by stylus actuation.

22. (currently amended) The improved ~~method of~~ calibration process of Claim ~~20~~ 38, wherein the actuation of the location sensing electronic device is by stylus actuation of an image of a button.

23. (currently amended) The improved ~~method of~~ calibration process of Claim ~~20~~ 38, wherein the actuation of the location sensing electronic device is by an electronically-detected stylus over an image of a button.

24. (currently amended) The improved ~~method of~~ calibration process of Claim ~~20~~ 38, wherein the actuation of the location sensing electronic device is by a touch.

Claims 25-32. (canceled)

33. (new) In a calibration process comprising the steps of (i) providing a location sensing device, (ii) providing an electronic device, (iii) initiating the calibration process, and (iv) performing the calibration of positions between the location sensing device and the electronic device, the improvement comprising the step of initiating the calibration process at a location distant the electronic device.

34. (new) The improved calibration process of Claim 33, the step of initiating the calibration process at a location distant the electronic device comprising initiating the calibration process at the location sensing device.

35. (new) The improved calibration process of Claim 33, the step of initiating the calibration process at a location distant the electronic device comprising initiating the calibration process by voice command.

36. (new) The improved calibration process of Claim 34, the step of initiating the calibration process at a location distant the electronic device comprising initiating the calibration process by pushing a button at the location sensing device.

37. (new) In a calibration process comprising the steps of (i) providing a location sensing electronic device having a location sensing surface, (ii) providing a display device of an electronic device, the electronic device in communication with a projection device and the location sensing electronic device, the projection device including means for projecting an image on the location sensing electronic device, (iii) initiating the calibration process, and (iv) performing the calibration of positions between the location sensing electronic device and the electronic device, the improvement comprising the step of initiating the calibration process at a location distant the electronic device, wherein upon initiating the calibration process, positions

between the location sensing surface of the location sensing electronic device and the display device of the electronic device are calibrated.

38. (new) The improved calibration process of Claim 37, the step of initiating the calibration process at a location distant the electronic device comprising initiating the calibration process with an actuation of the location sensing electronic device.

39. (new) The improved calibration process of Claim 37, the step of initiating the calibration process at a location distant the electronic device comprising initiating the calibration process by voice command.

40. (new) The improved calibration process of Claim 38, the step of initiating the calibration process at a location distant the electronic device comprising initiating the calibration process by pushing a button at the location sensing electronic device.

41. (new) In a calibration process for a whiteboard system comprising the steps of (i) providing a whiteboard, (ii) providing a computer, (iii) providing a display device in communication with the computer, (iv) initiating the calibration process, and (v) performing the calibration of positions between the whiteboard and the computer, the improvement comprising the step of initiating the calibration process at a location distant the computer.

42. (new) The improved calibration process of Claim 41, the step of initiating the calibration process at a location distant the computer comprising detecting a touch in proximity to the whiteboard at a predetermined location.

43. (new) The improved calibration process of Claim 41, wherein the calibration process includes the steps of projecting an image onto the whiteboard, detecting a touch at a point on the whiteboard corresponding to the projected image, and calculating a relationship between the touched point on the whiteboard corresponding to the projected image and a position on the display device.

44. (new) The improved calibration process of Claim 42, the touch in proximity to the whiteboard comprising the step of pushing a button.